

-
1. BÜDEL, B. and HENSSEN, A. 1983. *Chroococcidiopsis* (Cyanophyceae), a phycobiont in the lichen family Lichinaceae. *Phycologia* 22: 367-375.
 2. HENSSEN, A. und BÜDEL, B. 1984. *Peccania cerebriformis* und *Psorotichia columnaris*, zwei neue Lichinaceen von Lanzarote. *International Journal of Mycology and Lichenology* 1: 261-271.
 3. HENSSEN, A. and BÜDEL, B. 1984. *Phyllisciella*, a new genus of the Lichinaceae. In: Festschrift J. Poelt. Hertel, H. and Oberwinkler, F. (Hrsg.) Beiheft 79 *Nova Hedwigia* 381- 398.
 4. BÜDEL, B. und KOTHE, H.W. 1985. Die Fangblase des Wasserschlauches *Utricularia gibba*. *Mikrokosmos* 74: 28-30.
 5. HENSSEN, A., BÜDEL, B. and WESSELS, D.C.J. 1985. New or interesting members of the Lichinaceae from southern Africa. I. Species from northern and eastern Transvaal. *Mycotaxon* 22: 169-195.
 6. WESSELS, D.C.J. and BÜDEL, B. 1985. Lichens and Bagworms. *African Wildlife* 39: 114-118.
 7. BÜDEL, B. 1985. Blue-green phycobionts in the lichen family Lichinaceae. *Archiv für Hydrobiologie, Suppl.* 71 (Algalogical Studies 38/39): 355-357.
 8. BÜDEL, B. and RHIEL, E. 1985. A new cell wall structure in a symbiotic and a free-living strain of the blue-green algal genus *Chroococcidiopsis* (Pleurocapsales). *Archives of Microbiology* 143: 117-121.
 9. HENSSEN, A., BÜDEL, B. and NASH, T.H. III. 1986. Three new species of *Lichinella* described from Mexico. *The Bryologist* 88: 285-292.
 10. BÜDEL, B. and WESSELS, D.C.J. 1986. *Parmelia hueana* Gyeln., a vagrant lichen from the Namib desert, SWA/Namibia. I. Anatomical and reproductive adaptations. *Dinteria* 18: 3-15.
 11. BÜDEL, B. und HENSSEN, A. 1986. Zwei neue *Peltula*-Arten von Südafrika (Lichenes). *International Journal of Mycology and Lichenology* 2: 235-249.
 12. BÜDEL, B. 1986. *Peltulaceae* fam. nov. In: Notes on ascomycete systematics. Nos. 1-224. Eriksson, O. & Hawksworth, D.L. *Systema Ascomycetum* 5: 113-174.
 13. BÜDEL, B. 1987. Zur Biologie und Systematik der Flechtengattungen *Heppia* und *Peltula* im südlichen Afrika. *Bibliotheca Lichenologica* 23: 1-115 + 45 Tafeln.
 14. BÜDEL, B. 1987. Taxonomy and biology of the lichen genus *Peltula*. In: Progress and problems of lichenology in the eighties. Peveling, E. (Hrsg.) *Bibliotheca Lichenologica* 25: 209-217.
 15. HENSSEN, A., BÜDEL, B. and TITZE, A. 1987. *Euopsis* and *Harpidium*, genera of the Lichinaceae with rostrate asci (lichenized ascomycetes). *Botanica Acta* 101: 49-55.
 16. BÜDEL, B. and RHIEL, E. 1987. Studies on the ultrastructure of some cyanolichen haustoria. *Protoplasma* 139: 145-152.
 17. BÜDEL, B. und HENSSEN, A. 1988. *Trebouxia aggregata* und *Gloeocapsa sanguinea*, Phycobionten von *Euopsis granatina* (Lichinaceae). *Plant Systematics and Evolution* 158: 235-241.
 18. WESSELS, D.C.J. and BÜDEL, B. 1989. A rockpool lichen community in Northern Transvaal, South Africa: composition and distribution patterns. *Lichenologist* 21: 259-277.
 19. BÜDEL, B. 1989. New localities for *Peltula rodriguesii*. *Lichenologist* 21: 293.
 20. BÜDEL, B. 1990. Anwendungen des Leitz Multicon Systems in der Lichtmikroskopie. *Leitz Mitteilungen in Wissenschaft und Technik* 9: 240-242.
 21. BÜDEL, B. 1990. Anatomical adaptations to the semiarid/arid environment in the lichen genus *Peltula*. *Bibliotheca Lichenologica* (Festschrift A. Henssen) 38: 47-61.
 22. UPRETI, D.K. and BÜDEL, B. 1990. The lichen genera *Heppia* and *Peltula* in India. *Journal of the Hattori Botanical Laboratory* 68: 279-284.
-

-
23. BÜDEL, B. und KIRSCH, H. 1991. Flechtenstandorte im Spessart, am Beispiel einiger ausgewählter Arten. Mitteilungsblatt der Naturkundestelle Main-Kinzig 3(3): 18-30.
24. BÜDEL, B. and LANGE, O.L. 1991. Water status of green and blue-green phycobionts in lichen thalli after hydration by water vapor uptake: Do they become turgid? *Botanica Acta* 104: 361-366.
25. BÜDEL, B., EGEE, J.M. and LUMBSCH, H.T. (1991). Nomenclatural remarks on the lichens *Heppia solorinoides*, *Peltula obscurans* and *P. placodizans*. *Mycotaxon* 17: 245-248.
26. BÜDEL, B., MOLLENHAUER, D. and MOLLENHAUER, R. (1991). *Synechococcus elongatus* - cryptoendolithic growth within bleached sandstone from small creeks in the midland area Spessart (Germany). *Algological Studies* 64: 357-360.
27. BÜDEL, B. and WESSELS, D.C.J. (1991). Rock inhabiting blue-green algae/cyanobacteria from hot arid regions. *Algological Studies* 64: 385-398.
28. BÜDEL, B. (1992). Taxonomy of lichenized procaryotic blue-green algae. In: *Algae and symbioses*. REISSER, W. (Hrsg.), pp. 301-324, Biopress Ltd. Bristol.
29. LANGE, O.L., KIDRON, G., BÜDEL, B., MEYER, A., KILIAN, E. and ABELIOVICH, A. (1992). Taxonomic composition and photosynthetic characteristics of the "Biological soil crusts" covering sand dunes in the western Negev Desert. *Functional Ecology* 6: 519-527.
30. HOFFMANN, L. and BÜDEL, B. (1992). Cyanolichens of Papua New Guinea I. *Nova Hedwigia* 55: 429-436.
31. BÜDEL, B., ELIX, J.A. and STREIMANN, H. 1993. Collections of the lichen genus *Peltula* from the Kimberleys, Western Australia. *Australasian Lichenological Newsletter* 32: 11-15.
32. BÜDEL, B., WESSELS, D.C.J. and MOLLENHAUER, D. (1993). Massentwicklung von *Nostoc* c.f. *microscopicum* in alkalischem, salzhaltigem Milieu einer Höhle in den Drakensbergen Südafrikas (Golden Gate Highlands National Park). *Archiv für Protistenkunde* 143: 229-235.
33. LANGE, O.L., BÜDEL, B., MEYER, A. and KILIAN, E. (1993). Further evidence that activation of net photosynthesis by dry cyanobacterial lichens requires liquid water. *Lichenologist* 25: 175-189.
34. BÜDEL, B. and MIES, B. (1993). Remarks on the lichen flora of the Cape Verde Islands II. The Heppiaceae and Peltulaceae (lichenized Ascomycotina). *Nova Hedwigia* 56: 505-514.
35. BADGER, M.R., PFANZ, H., BÜDEL, B., HEBER, U. and LANGE, O.L. 1993. Evidence for the functioning of photosynthetic CO₂-concentrating mechanisms in lichens containing green algal and cyanobacterial photobionts. *Planta* 191: 57-70.
36. BÜDEL, B. and NASH, T.H. (1993). A new species of the lichen genus *Peltula* from the Sonoran Desert. *Lichenologist* 25: 279-284.
37. LANGE, O.L., BÜDEL, B., HEBER, U., MEYER, A., ZELLNER, H. and GREEN, T.G.A. 1993. Temperate rainforest lichens in New Zealand: high thallus water content can severely limit photosynthetic CO₂ exchange. *Oecologia* 95: 303-313.
38. GREEN, T.G.A., BÜDEL, B., HEBER, U., MEYER, A., ZELLNER, H. and LANGE, O.L. 1993. Differences in photosynthetic performance between cyanobacterial and green algal components of lichen photosymbiodemes measured in the field. *New Phytologist* 125: 723-731.
39. LANGE, O.L., A. MEYER and BÜDEL, B. 1994. Net-photosynthesis of a desiccated cyanobacterium without liquid water in high air humidity alone. Experiments with *Microcoelus sociatus* isolated from a desert soil crust. *Functional Ecology* 8: 52-57.
-

-
40. BILGER, W., BÜDEL, B. MOLLENHAUER, R. and MOLLENHAUER, D. 1994. Photosynthetic activity of two developmental stages of a *Nostoc* strain (Cyanobacteria) isolated from *Geosiphon pyriforme* (Mycota). *Journal of Phycology* 30: 225-230.
 41. BÜDEL, B. and LANGE, O.L. 1994. The role of cortical and epicortical layers in the lichen genus *Peltula*. *Cryptogamic Botany* 4: 262-269.
 42. WIRTH, R. and BÜDEL, B. 1994. Das Auftreten von Pycnidien bei fruchtenden und sterilen Formen von *Usnea florida* (L.) Hoffm. (Lecanorales, Usneaceae). *Nova Hedwigia* 59: 13-20.
 43. LANGE, O.L., BÜDEL, B., ZELLNER, H., ZOTZ, G. and MEYER, A. 1994. Field measurements of water relations and CO₂ exchange of the tropical, cyanobacterial basidiolichen *Dictyonema glabratum* in a Panamanian rainforest. *Botanica Acta* 107: 279-290.
 44. BÜDEL, B., LÜTTGE, U., STELZER, R., HUBER, O. and MEDINA, E. 1994. Cyanobacteria of rocks and soils in the Orinoco region and in the Guyana highlands, Venezuela. *Botanica Acta* 107: 422-431.
 45. MOLLENHAUER, D., BÜDEL, B. and MOLLENHAUER, R. 1994. Approaches to species delimitations in the genus *Nostoc* Vaucher 1803 ex Bornet et Flahault 1888. *Algological Studies* 75: 189-209
 46. TARNAWSKI, M.G., GREEN, T.G.A., BÜDEL, B., MEYER, A., ZELLNER, H. and LANGE, O.L. 1994. Diel changes of atmospheric CO₂ concentration within, and above, cryptogam stands in a New Zealand temperate rainforest. *New Zealand Journal of Botany* 32: 329-336.
 47. LÜTTGE, U., BÜDEL, B., BALL, E., STRUBE, F. and WEBER, P. 1995. Photosynthesis of terrestrial cyanobacteria under light and desiccation stress as expressed by chlorophyll fluorescence and gas exchange. *Journal of Experimental Botany* 46: 309-319.
 48. BÜDEL, B. 1995. The lichen genus *Neoheppia*. *Mycotaxon* 54: 137-145.
 49. WESSELS, B. and BÜDEL, B. 1995. Epilithic and cryptoendolithic cyanobacteria of Clarens sandstone cliffs in the Golden Gate Highlands National Park, South Africa. *Botanica Acta* 108: 220-226.
 50. BÜDEL, B., GREEN, T.G.A., MEYER, A., ZELLNER, H. and LANGE, O.L. 1995. Rainfall as a cause of mechanical damage to *Pseudocyphellaria rufovirescens* (Curch. Bab.) Galloway, in the temperate rainforest of New Zealand. *Lichenologist* 27: 317-319.
 51. MÜHLENHOFF, D. und BÜDEL, B. 1995. Wasserflechten und Wassermoose zweier unterschiedlicher Bachtypen im Spessart. *Nova Hedwigia* 61: 525-545.
 52. GREEN, T.G.A., MEYER, A., BÜDEL, B. ZELLNER, H. and LANGE, O.L. 1995. Diel patterns of CO₂-exchange for six lichens from a temperate rain forest in New Zealand. *Symbiosis* 18: 251-273.
 53. MISZALSKI, Z., BÜDEL, B. and LÜTTGE, U. 1995. Sensitivity of terrestrial cyanobacteria to light and sulphite stress. *Polish Journal of Environmental Studies* 4(4): 55-59.
 54. BÜDEL, B. and SCHEIDEGGER, C. 1996. Thallus morphology and anatomy. In: NASH, T. H. III. (ed.), *The Biology of Lichens*. Edward Arnold Ltd. London, pp. 37-64.
 55. FRIEDL, T. and BÜDEL, B. 1996. Photobionts. In: NASH, T. H. III. (ed.), *The Biology of Lichens*. Edward Arnold Ltd. London, pp. 8-23.
 56. BÜDEL, B. 1996. Wo leben Algen - Vorkommen und biologische Bedeutung. *Praxis der Naturwissenschaften Biologie* 45: 12-19.
 57. BÜDEL, B. 1996. Die Pflanzenwelt des Spessarts unter dem Einfluß des Menschen. *Courier Forschungsinstitut Senckenberg* 194: 85-97.
 58. WEBER, B., WESSELS, D.C.J. and BÜDEL, B. 1996. Biology and ecology of cryptoendolithic cyanobacteria of a sandstone plateau in North-Transvaal, South Africa. *Algological Studies* 83: 565-579.
-

59. ZOTZ, G., BÜDEL, B., MEYER, A., ZELLNER, H. and LANGE, O.L. 1997. Water relations and CO₂ exchange of tropical bryophytes in a lower montane rain forest in Panama. *Botanica Acta* 110: 9-17.
60. BÜDEL, B. AND ELIX, J.A. 1997. *Peltula langei* Büdel et Elix spec. Nov. From Australia, with remarks on its chemistry and the ascoma of *Peltula clavata* (Krempelh.) Wetm. *Bibliotheca Lichenologica* 67: 3-9.
61. BÜDEL, B., KARSTEN, U. AND GARCIA-PICHEL, F. 1997. Ultraviolet-absorbing scytonemin and mycosporine-like amino acid derivatives in exposed, rock inhabiting cyanobacterial lichens. *Oecologia* 112: 165-172.
62. BÜDEL, B. 1997. Flechten der Tropen. In: SCHÖLLER, H. (Hrsg.) *Flechten. Kleine Senckenbergreihe* 27: 139-148.
63. BÜDEL, B., BECKER, U., POREMBSKI, S. and BARTHLOTT, W. 1997. Cyanobacteria and cyanobacterial lichens from inselbergs of the Ivory Coast, Africa. *Botanica Acta* 110: 458-465.
64. GREEN, T.G.A., BÜDEL, B., MEYER, A., ZELLNER, H. and LANGE, O.L. 1997. Temperate rainforest lichens in New Zealand: light response of photosynthesis. *New Zealand Journal of Botany* 35: 493-504.
65. ZOTZ, G., BÜDEL, B., MEYER, A., ZELLNER, H. and LANGE, O.L. 1998. In situ studies of water relations and CO₂ exchange of the tropical macrolichen, *Sticta tomentosa*. *New Phytologist* 139: 525-535.
66. BÜDEL, B. 1999. Wuchsform und Photosyntheseparameter: Zur Regulation der Kryptogamenbesiedlung tropischer Inselbergoberflächen. In: BEYSCHLAG, W., BRECKLE, S. und STEINLEIN, T. (Hrsg.) *Bielefelder Ökologische Beiträge* 14: 134-143.
67. BÜDEL, B. 1999. Ecology and diversity of rock inhabiting cyanobacteria in tropical regions. *European Journal of Phycology* 34: 361-370.
68. SCHULTZ, M., BÜDEL, B. and ELIX, J. 2000. Additional lichen records from Australia 42. *Paulia caespitosa*, new to Australia and the Southern Hemisphere. *Australasian Lichenology* 46:29-30.
69. SCHULTZ, M., BROWN, G. and BÜDEL, B. 2000. Cyanophilous lichens from Kuwait. *Nova Hedwigia* 70: 193-216.
70. DIETZ, S., BÜDEL, B., LANGE, O.L., and BILGER, W. 2000. Transmittance of light through the cortex of lichens from contrasting habitats. *Bibliotheca Lichenologica* 75: 171-182.
71. LANGE, O.L., BÜDEL, B., MEYER, A., ZELLNER, H. and ZOTZ, G. 2000. Lichen carbon gain under tropical conditions: water relations and CO₂ exchange of *Leptogium* species of a lower montane rainforest in Panama. *Flora* 195: 172-190.
72. BÜDEL, B., SCHULTZ, M., LAKATOS, M. und WOITKE, M. 2000. Ökologie lithophytischer Cyanobakterien und Cyanobakterien-Flechten des Guyana Hochlands und des Orinoco Tieflands (Venezuela). In: *Ergebnisse weltweiter ökologischer Forschungen. Beiträge des 1. Symposiums der A.F.W. Schimper Stiftung von H. und E. Walter. BRECKLE, S.-W., SCHWEIZER, B. und ARNDT, U. (Hrsg.), p. 209-217.*
73. SCHULTZ, M., POREMBSKI, S., and BÜDEL, B. 2000. Diversity of rock-inhabiting cyanobacterial lichens: studies on granite inselbergs along the Orinoco and the Guyana region. *Plant Biology* 2: 482-495.
74. BÜDEL, B. 2000. Symbioses - Living one inside the other, In: Seckbach, J. (ed.) *Microbial Diversity*, Kluwer Press.
75. BÜDEL, B., BECKER, U., FOLLMANN, G. and STERFLINGER, K. 2000. Algae, fungi, and lichens. *Ecological Studies*, 146: 69-90.
76. BÜDEL, B., MEYER, A., SALAZAR, N., ZELLNER, H., ZOTZ, G. and LANGE, O.L. 2000. Macrolichen of montane rain forests in Panama, Province Chiriquí. *Lichenologist* 32: 539-551.

77. WEBER, B. und BÜDEL, B. 2001. Flechten an mittelalterlichen Feldsteinkirchen in Mecklenburg; Vielfalt, Ökologie und mögliche Einwirkungen auf das Gestein. In: GESATZKY, R. (Hrsg.) Erhaltung und beispielhafte Instandsetzung von Feldsteinkirchen in Mecklenburg. Thomas Helms Verlag, Schwerin; pp. 69-76.
78. SCHULTZ, M., ARENDHOLZ, W.-R. and BÜDEL, B. 2001. Origin and evolution of the lichenized ascomycete order Lichinales: monophyly and systematic relationship inferred from ascus, fruiting body and SSU rDNA evolution. *Plant Biology* 3: 116-123.
79. SCHULTZ, M., BÜDEL, B. and POREMBSKI, S. (2001). *Thyrea porphyrella*, a new species of the Lichinaceae from inselbergs in tropical South America. *Lichenologist* 33: 211-214.
80. WEBER, B. and BÜDEL, B. 2001. Mapping and analysis of distribution patterns of lichens on rural medieval churches in Northeastern Germany. *Lichenologist* 33: 231-248.
81. BELNAP, J., BÜDEL, B. and LANGE, O.L. 2001. Biological soil crusts: Characteristics and distribution. *Ecological Studies*, 150: 3-30.
82. ULLMANN, I. and BÜDEL, B. 2001. Biological soil crusts of Africa. *Ecological Studies*, 150: 107-118.
83. BÜDEL, B. 2001. Biological soil crusts of European temperate and mediterranean regions. *Ecological Studies*, 150: 75-86.
84. BÜDEL, B. 2001. Biological Soil crusts of South America. *Ecological Studies*, 150: 51-55.
85. BÜDEL, B. 2001. Biological soil crusts of Asia including the Don and Volga region. *Ecological Studies*, 150: 87-94.
86. BÜDEL, B. 2001. Synopsis: comparative biogeography and ecology of soil crust biota and communities. *Ecological Studies*, 150: 141-152.
87. ULLMANN, I. and BÜDEL, B. 2001. Ecological determinants of species composition of biological soil crusts on a landscape scale. *Ecological Studies*, 150: 203-213.
88. BÜDEL, B. 2001. Flechten im Spessart. *Spessart* (8): 9-10.
89. BÜDEL, B. 2001. Diversity and ecology of biological crusts. *Progress in Botany* 63: 386-404.
90. BÜDEL, B. 2001. Peltulaceae. In: *Flora of Australia* Vol. 58a (Lichens 3), P.M. MCCARTHY (ed.), pp. 24-32.
91. BÜDEL, B., REISSER, W., WEBER, B. and ZEDDA, L. 2001. Cyanobacteria and algae in biological soil crusts of Southern Africa. In: ZOTZ, G. and KÖRNER C. (eds.) *The functional importance of biodiversity*. Verhandlungen der Gesellschaft für Ökologie 31: 188.
92. LAKATOS, M., RASCHER, U., and BUEDEL, B. 2001. How can lichens survive in the understory of tropical lowland rain forest? In: ZOTZ, G. and KÖRNER C. (eds.) *The functional importance of biodiversity*. Verhandlungen der Gesellschaft für Ökologie 31: 68.
93. DOJANI, S., LAKATOS, M., RASCHER, U., and BUEDEL, B. (2001) Biological crusts influence the nitrogen composition of adjacent soils. In: ZOTZ, G. and KÖRNER C. (eds.) *The functional importance of biodiversity*. Verhandlungen der Gesellschaft für Ökologie 31: 343.
94. ZEDDA, L., BÜDEL, B., FEUERER, T. and RAMBOLD, G. 2001. Biological soil crusts and lichen diversity in southwestern Africa: developments of the Biota subproject S05. In: ZOTZ, G. and KÖRNER C. (eds.) *The functional importance of biodiversity*. Verhandlungen der Gesellschaft für Ökologie 31: 300.
95. LAKATOS, M., BILGER, W. and BÜDEL, B. (2001). Lipophilous carotenoids of terrestrial cyanobacteria from different habitats in Venezuela. *European Journal of Phycology* 36: 367-375.
96. SCHULTZ, M. and BÜDEL, B. (2002). Key to the genera of the Lichinaceae. *Lichenologist* 34: 39-62.

-
97. BÜDEL, B., SCHULTZ, M. and NASH, T.H. (2002). *Heppia*. In: NASH, T.H., RYAN, B.D., GRIES, C. and BUNGARTZ, F. (eds) *Lichen flora of the greater Sonoran Desert region*. Arizona State University, p. 204-207.
98. BÜDEL, B. and NASH, T.H. (2002). *Peltula*. In: NASH, T.H., RYAN, B.D., GRIES, C. and BUNGARTZ, F. (eds) *Lichen flora of the greater Sonoran Desert region*. Arizona State University, p. 331-340.
99. WIRTH, R., KIRSCH, H. und BÜDEL, B. (2002). Verbreitungsmuster und Dynamik der Wiederausbreitung von Bartflechten der Gattungen *Usnea* und *Bryoria* im Spessart. *Hoppea* 62: 411-436.
100. FEWER, D., FRIEDL, T. and BÜDEL, B. (2002). *Chroococciopsis* and heterocyst differentiating cyanobacteria are each others closest living relatives. *Molecular Phylogenetics and Evolution* 23: 82-90.
101. BÜDEL, B., WEBER, H.-M., POREMBSKI, S. and BARTHLOTT, W. (2002). Cyanobacteria of inselbergs in the atlantic rain-forest zone of Eastern Brazil. *Phycologia* 41: 498-506.
102. SCHULTZ, M. and BÜDEL, B. (2002). *Peccania salevensis* and *Synalissa nitidula* belong to the genus *Paulia* (Lichinaceae). *Mycotaxon* 84: 21-26.
103. BÜDEL, B. and SCHULTZ, M. (2003). A way to cope with high irradiance and drought: inverted morphology of a new cyanobacterial lichen, *Peltula inversa* sp. nov., from the Nama Karoo, Namibia. *Bibliotheca Lichenologica* 86: 225-232.
104. SCHULTZ, M. and BÜDEL, B. (2003). On the systematic position of the lichen genus *Heppia*. *Lichenologist* 35: 151-156.
105. RASCHER, U., LAKATOS, M., BÜDEL, B. and LÜTTGE, U. (2003) Photosynthetic field capacity of cyanobacteria of a tropical inselberg of the Guiana Highlands. *European Journal of Phycology* 38: 247-256.
106. LAKATOS, M., LANGE-BERTALOT, H. and BÜDEL, B. (2004) Diatoms living inside the thallus of the green algal lichen *Coenogonium linkii* in neotropical lowland rain forests. *Journal of Phycology* 40: 70-73.
107. BÜDEL, B. (2004) Cyanobacteria in Symbioses. Book review. *Journal of Plant Physiology* 161: 757-760.
108. LANGE, O.L., BÜDEL, B., MEYER, A., ZELLNER, H. and ZOTZ, G. (2004). Lichen carbon gain under tropical conditions: water relations and CO₂ exchange of Lobariaceae species of a lower montane rainforest in Panama. *Lichenologist* 36: 329-342.
109. BÜDEL, B. (2005). Microorganisms of biological crusts on soil surface. In: BUSCOT, F. and VARMA, A. (eds.) *Microorganisms in Soils: Roles in Genesis and Functions*. Soil Biology 3: 307-323, Springer Verlag Berlin Heidelberg.
110. BÜDEL, B., WEBER, B., KÜHL, M., PFANZ, H., SÜLTEMAYER, D., and WESSELS, D.C.J. (2004) Reshaping of sandstone surfaces by cryptoendolithic cyanobacteria: bioalkalisation causes chemical weathering in arid landscapes. *Geobiology* 2: 261-268.
111. HACH, T., BÜDEL, B. und SCHWABE, A. (2005). Biologische Krusten in basenreichen Sand-Ökosystemen des *Koelerion glaucae*-Vegetationskomplexes: taxonomische Struktur und Empfindlichkeit gegenüber mechanischen Störungen. *Tuexenia*, 25: 357-372.
112. KAUFF, F. and BÜDEL, B. (2005) Ascoma ontogeny and apothecial anatomy in the Gyalectaceae (Ostropales, Ascomycota) support the reestablishment of the Coenogoniaceae. *The Bryologist* 108: 272-281.
113. SCHULTZ, M. and BÜDEL, B. (2005). *Phloeopeccania anemoides*, a new lichen species from Baja California Sur and Sinaloa, Mexico. *The Bryologist* 108: 520-525.
114. LAKATOS, M., RASCHER, U. and BÜDEL, B. (2006). Functional characteristics of corticolous lichens in the understory of a tropical lowland forest. *New Phytologist* (www-publication).
-

-
115. T.Y. JAMES, F. KAUFF, C. SCHOCH, P. B. MATHENY, V. HOFSTETTER, C. J. COX, G. CELIO, C. GUIEDAN, E. FRAKER, J. MIADLIKOWSKA, T. LUMBSCH, A. RAUHUT, V. REEB, A. E. ARNOLD, A. AMTOFT, J. E. STAJICH, K. HOSAKA, G.-H. SUNG, D. JOHNSON, B. O'ROURKE, M. BINDER, J. M. CURTIS, J. C. SLOT, Z. WANG, A. W. WILSON, A. SCHÜBLER, J. E. LONGCORE, K. O'DONNELL, S. MOZLEY-STANDRIDGE, D. PORTER, P. M. LETCHER, M. J. POWELL, J. W. TAYLOR, M. M. WHITE, G. W. GRIFFITH, D. R. DAVIES, J. SUGIYAMA, A. Y. ROSSMAN, J. D. ROGERS, D. H. PFISTER, D. HEWITT, K. HANSEN, S. HAMBLETON, R. A. SHOEMAKER, J. KOHLMAYER, B. VOLKMANN-KOHLMEYER, R. A. SPOTTS, M. SERDANI, P. W. CROUS, K. W. HUGHES, K. MATSUURA, E. LANGER, G. LANGER, W. A. UNTEREINER, R. LÜCKING, B. BÜDEL, D. M. GEISER, A. APTROOT, W. R. BUCK, M. S. COLE, P. DIEDERICH, C. PRINTZEN, I. SCHMITT, M. SCHULTZ, R. YAHR, A. ZAVARZIN, D. S. HIBBETT, F. LUTZONI, D. J. MC LAUGHLIN, J. W. SPATAFORA, R. VILGALYS (2006). Reconstructing the early evolution of the fungi using a six gene phylogeny. *Nature* 443: 818-822
116. Miadlikowska J, KAUFF F, Hofstetter V, Fraker E, Grube M, Hafellner J, Reeb V, Hodkinson BP, Kukwa M, Lücking R, Hestmark, Garcia-Otalora M, RAUHUT A, BÜDEL B, Scheidegger C, Timdal E, Stenroos S, Brodo I, Perlmutter GB, Ertz D, Diederich P, Lendemer JC, Tripp E, Yahr R, May P, Gueidan C, Spatafora JW, Schoch C, Arnold AE, Robertson C, Lutzoni F. 2006. New insights into classification and evolution of the Lecanoromycetes (Pezizomycotina, Ascomycota) from phylogenetic analyses of three ribosomal RNA- and two protein-coding genes. *Mycologia* 98: 1088-1103.
117. Spatafora JW, Sung Gi-Ho, Johnson D, Hesse C, O'rourke B, Serdani M, Spotts R, Lutzoni F, Hofstetter V, Miadlikowska J, Reeb V, Gueidan C, Fraker E, Lumbsch T, Lücking R, Schmitt I, Hosaka K, Aptroot A, Roux C, Miller AN, Geiser DM, Hafellner J, Hestmark G, Arnold AE, BÜDEL B, RAUHUT A, Hewitt D, Untereiner WA, Cole MS, Scheidegger C, Schultz M, Sipman H, Schoch C. (2006) A five-gene phylogeny of Pezizomycotina. *Mycologia* 98(6): 1018-1028.
118. WEBER, B., SCHERR, C., REICHENBERGER, H., and BÜDEL, B. (in press) Reactivation by high air humidity and photosynthetic performance of alpine lichens growing endolithically in limestone. *Arctic, Antarctic and Alpine Research*.
119. DOJANI, S., LAKATOS, M., RASCHER, U., WANER, W., LÜTTGE, U., and BÜDEL, B. (in press). Nitrogen input by cyanobacterial biofilms of an inselberg into a tropical rainforest in French Guiana. *Flora*.
120. WEBER, B., OLEHOWSKI, C., KNERR, T., HILL, J., DEUTSCHEWITZ, K., WESSELS, D.C.J., EITEL, B. and BÜDEL, B. (in press). A new approach for mapping of Biological Soil Crusts in semidesert areas with hyperspectral imagery. *Remote Sensing of Environment*.
121. FRIEDL, T. and BÜDEL, B. (in press). Photobionts. In: *Lichen Biology*, Nash, T.H. III (ed.), Cambridge University Press.
122. BÜDEL, B. and SCHEIDEGGER, C. (in press). Thallus morphology and anatomy. In: *Lichen Biology*, Nash, T.H. III (ed.), Cambridge University Press.
123. BÜDEL, B. (in press). Otto Ludwig-Lange – 80 years. *Eco-physiology – the key to understanding the function and distribution patterns of plants and lichens*. *Flora*.
-