

1. BÜDEL, B. and HENSSEN, A. 1983. *Chroococcidiopsis* (Cyanophyceae), a phycobiont in the lichen family Lichinaceae. *Phycologia* 22: 367-375.
2. HENSSEN, A. und BÜDEL, B. 1984. *Peccania cerebriformis* und *Psorotichia columnaris*, zwei neue Lichinaceen von Lanzarote. *International Journal of Mycology and Lichenology* 1: 261-271.
3. HENSSEN, A. and BÜDEL, B. 1984. *Phyllisciella*, a new genus of the Lichinaceae. In: Festschrift J. Poelt. Hertel, H. and Oberwinkler, F. (Hrsg.) Beiheft 79 Nova Hedwigia 381- 398.
4. BÜDEL, B. und KOTHE, H.W. 1985. Die Fangblase des Wasserschlauches *Utricularia gibba*. *Mikrokosmos* 74: 28-30.
5. HENSSEN, A., BÜDEL, B. and WESSELS, D.C.J. 1985. New or interesting members of the Lichinaceae from southern Africa. I. Species from northern and eastern Transvaal. *Mycotaxon* 22: 169-195.
6. WESSELS, D.C.J. and BÜDEL, B. 1985. Lichens and Bagworms. *African Wildlife* 39: 114-118.
7. BÜDEL, B. 1985. Blue-green phycobionts in the lichen family Lichinaceae. *Archiv für Hydrobiologie, Suppl.* 71 (Algalogical Studies 38/39): 355-357.
8. BÜDEL, B. and RHIEL, E. 1985. A new cell wall structure in a symbiotic and a free-living strain of the blue-green algal genus *Chroococcidiopsis* (Pleurocapsales). *Archives of Microbiology* 143: 117-121.
9. HENSSEN, A., BÜDEL, B. and NASH, T.H. III. 1986. Three new species of *Lichinella* described from Mexico. *The Bryologist* 88: 285-292.
10. BÜDEL, B. and WESSELS, D.C.J. 1986. *Parmelia hueana* Gyeln., a vagrant lichen from the Namib desert, SWA/Namibia. I. Anatomical and reproductive adaptations. *Dinteria* 18: 3-15.
11. BÜDEL, B. und HENSSEN, A. 1986. Zwei neue *Peltula*-Arten von Südafrika (Lichenes). *International Journal of Mycology and Lichenology* 2: 235-249.
12. BÜDEL, B. 1986. *Peltulaceae* fam. nov. In: Notes on ascomycete systematics. Nos. 1-224. Eriksson, O. & Hawksworth, D.L. *Systema Ascomycetum* 5: 113-174.
13. BÜDEL, B. 1987. Zur Biologie und Systematik der Flechtengattungen *Heppia* und *Peltula* im südlichen Afrika. *Bibliotheca Lichenologica* 23: 1-115 + 45 Tafeln.
14. BÜDEL, B. 1987. Taxonomy and biology of the lichen genus *Peltula*. In: Progress and problems of lichenology in the eighties. Peveling, E. (Hrsg.) *Bibliotheca Lichenologica* 25: 209-217.
15. HENSSEN, A., BÜDEL, B. and TITZE, A. 1987. *Euopsis* and *Harpidium*, genera of the Lichinaceae with rostrate asci (lichenized ascomycetes). *Botanica Acta* 101: 49-55.
16. BÜDEL, B. and RHIEL, E. 1987. Studies on the ultrastructure of some cyanolichen haustoria. *Protoplasma* 139: 145-152.
17. BÜDEL, B. und HENSSEN, A. 1988. *Trebouxia aggregata* und *Gloeocapsa sanguinea*, Phycobionten von *Euopsis granatina* (Lichinaceae). *Plant Systematics and Evolution* 158: 235-241.
18. WESSELS, D.C.J. and BÜDEL, B. 1989. A rockpool lichen community in Northern Transvaal, South Africa: composition and distribution patterns. *Lichenologist* 21: 259-277.
19. BÜDEL, B. 1989. New localities for *Peltula rodriguesii*. *Lichenologist* 21: 293.
20. BÜDEL, B. 1990. Anwendungen des Leitz Multicon Systems in der Lichtmikroskopie. *Leitz Mitteilungen in Wissenschaft und Technik* 9: 240-242.
21. BÜDEL, B. 1990. Anatomical adaptations to the semiarid/arid environment in the lichen genus *Peltula*. *Bibliotheca Lichenologica* (Festschrift A. Henssen) 38: 47-61.
22. UPRETI, D.K. and BÜDEL, B. 1990. The lichen genera *Heppia* and *Peltula* in India. *Journal of the Hattori Botanical Laboratory* 68: 279-284.
23. BÜDEL, B. und KIRSCH, H. 1991. Flechtenstandorte im Spessart, am Beispiel einiger ausgewählter Arten. *Mitteilungsblatt der Naturkundestelle Main-Kinzig* 3(3): 18-30.

-
24. BÜDEL, B. and LANGE, O.L. 1991. Water status of green and blue-green phycobionts in lichen thalli after hydration by water vapor uptake: Do they become turgid? *Botanica Acta* 104: 361-366.
 25. BÜDEL, B., EGEE, J.M. and LUMBSCH, H.T. (1991). Nomenclatural remarks on the lichens *Heppia solarioides*, *Peltula obscurans* and *P. placodizans*. *Mycotaxon* 17: 245-248.
 26. BÜDEL, B., MOLLENHAUER, D. and MOLLENHAUER, R. (1991). *Synechococcus elongatus* - cryptoendolithic growth within bleached sandstone from small creeks in the midland area Spessart (Germany). *Algological Studies* 64: 357-360.
 27. BÜDEL, B. and WESSELS, D.C.J. (1991). Rock inhabiting blue-green algae/cyanobacteria from hot arid regions. *Algological Studies* 64: 385-398.
 28. BÜDEL, B. (1992). Taxonomy of lichenized procaryotic blue-green algae. In: *Algae and symbioses*. REISSER, W. (Hrsg.), pp. 301-324, Biopress Ltd. Bristol.
 29. LANGE, O.L., KIDRON, G., BÜDEL, B., MEYER, A., KILIAN, E. and ABELIOVICH, A. (1992). Taxonomic composition and photosynthetic characteristics of the "Biological soil crusts" covering sand dunes in the western Negev Desert. *Functional Ecology* 6: 519-527.
 30. HOFFMANN, L. and BÜDEL, B. (1992). Cyanolichens of Papua New Guinea I. *Nova Hedwigia* 55: 429-436.
 31. BÜDEL, B., ELIX, J.A. and STREIMANN, H. 1993. Collections of the lichen genus *Peltula* from the Kimberleys, Western Australia. *Australasian Lichenological Newsletter* 32: 11-15.
 32. BÜDEL, B., WESSELS, D.C.J. and MOLLENHAUER, D. (1993). Massenentwicklung von *Nostoc* c.f. *microscopicum* in alkalischem, salzhaltigem Milieu einer Höhle in den Drakensbergen Südafrikas (Golden Gate Highlands National Park). *Archiv für Protistenkunde* 143: 229-235.
 33. LANGE, O.L., BÜDEL, B., MEYER, A. and KILIAN, E. (1993). Further evidence that activation of net photosynthesis by dry cyanobacterial lichens requires liquid water. *Lichenologist* 25: 175-189.
 34. BÜDEL, B. and MIES, B. (1993). Remarks on the lichen flora of the Cape Verde Islands II. The Heppiaceae and Peltulaceae (lichenized Ascomycotina). *Nova Hedwigia* 56: 505-514.
 35. BADGER, M.R., PFANZ, H., BÜDEL, B., HEBER, U. and LANGE, O.L. 1993. Evidence for the functioning of photosynthetic CO₂-concentrating mechanisms in lichens containing green algal and cyanobacterial photobionts. *Planta* 191: 57-70.
 36. BÜDEL, B. and NASH, T.H. (1993). A new species of the lichen genus *Peltula* from the Sonoran Desert. *Lichenologist* 25: 279-284.
 37. LANGE, O.L., BÜDEL, B., HEBER, U., MEYER, A., ZELLNER, H. and GREEN, T.G.A. 1993. Temperate rainforest lichens in New Zealand: high thallus water content can severely limit photosynthetic CO₂ exchange. *Oecologia* 95: 303-313.
 38. GREEN, T.G.A., BÜDEL, B., HEBER, U., MEYER, A., ZELLNER, H. and LANGE, O.L. 1993. Differences in photosynthetic performance between cyanobacterial and green algal components of lichen photosymbiodemes measured in the field. *New Phytologist* 125: 723-731.
 39. LANGE, O.L., MEYER, A. and BÜDEL, B. 1994. Net-photosynthesis of a desiccated cyanobacterium without liquid water in high air humidity alone. Experiments with *Microcoelus sociatus* isolated from a desert soil crust. *Functional Ecology* 8: 52-57.
 40. BILGER, W., BÜDEL, B., MOLLENHAUER, R. and MOLLENHAUER, D. 1994. Photosynthetic activity of two developmental stages of a *Nostoc* strain (Cyanobacteria) isolated from *Geosiphon pyriforme* (Mycota). *Journal of Phycology* 30: 225-230.
 41. BÜDEL, B. and LANGE, O.L. 1994. The role of cortical and epicortical layers in the lichen genus *Peltula*. *Cryptogamic Botany* 4: 262-269.
-

-
42. WIRTH, R. and BÜDEL, B. 1994. Das Auftreten von Pycnidien bei fruchtenden und sterilen Formen von *Usnea florida* (L.) Hoffm. (Lecanorales, Usneaceae). *Nova Hedwigia* 59: 13-20.
 43. LANGE, O.L., BÜDEL, B., ZELLNER, H., ZOTZ, G. and MEYER, A. 1994. Field measurements of water relations and CO₂ exchange of the tropical, cyanobacterial basidiolichen *Dictyonema glabratum* in a Panamanian rainforest. *Botanica Acta* 107: 279-290.
 44. BÜDEL, B., LÜTTGE, U., STELZER, R., HUBER, O. and MEDINA, E. 1994. Cyanobacteria of rocks and soils in the Orinoco region and in the Guyana highlands, Venezuela. *Botanica Acta* 107: 422-431.
 45. MOLLENHAUER, D., BÜDEL, B. and MOLLENHAUER, R. 1994. Approaches to species delimitations in the genus *Nostoc* Vaucher 1803 ex Bornet et Flahault 1888. *Algological Studies* 75: 189-209
 46. TARNAWSKI, M.G., GREEN, T.G.A., BÜDEL, B., MEYER, A., ZELLNER, H and LANGE, O.L. 1994. Diel changes of atmospheric CO₂ concentration within, and above, cryptogam stands in a New Zealand temperate rainforest. *New Zealand Journal of Botany* 32: 329-336.
 47. LÜTTGE, U., BÜDEL, B., BALL, E., STRUBE, F. and WEBER, P. 1995. Photosynthesis of terrestrial cyanobacteria under light and desiccation stress as expressed by chlorophyll fluorescence and gas exchange. *Journal of Experimental Botany* 46: 309-319.
 48. BÜDEL, B. 1995. The lichen genus *Neoheppia*. *Mycotaxon* 54: 137-145.
 49. WESSELS, B. and BÜDEL, B. 1995. Epilithic and cryptoendolithic cyanobacteria of Clarens sandstone cliffs in the Golden Gate Highlands National Park, South Africa. *Botanica Acta* 108: 220-226.
 50. BÜDEL, B., GREEN, T.G.A., MEYER, A., ZELLNER, H. and LANGE, O.L. 1995. Rainfall as a cause of mechanical damage to *Pseudocyphellaria rufovirescens* (Curch. Bab.) Galloway, in the temperate rainforest of New Zealand. *Lichenologist* 27: 317-319.
 51. MÜHLENHOFF, D. und BÜDEL, B. 1995. Wasserflechten und Wassermoose zweier unterschiedlicher Bachtypen im Spessart. *Nova Hedwigia* 61: 525-545.
 52. GREEN, T.G.A., MEYER, A., BÜDEL, B. ZELLNER, H. and LANGE, O.L. 1995. Diel patterns of CO₂-exchange for six lichens from a temperate rain forest in New Zealand. *Symbiosis* 18: 251-273.
 53. MISZALSKI, Z., BÜDEL, B. and LÜTTGE, U. 1995. Sensitivity of terrestrial cyanobacteria to light and sulphite stress. *Polish Journal of Environmental Studies* 4(4): 55-59.
 54. BÜDEL, B. and SCHEIDEGGER, C. 1996. Thallus morphology and anatomy. In: NASH, T. H. III. (ed.), *The Biology of Lichens*. Edward Arnold Ltd. London, pp. 37-64.
 55. FRIEDL, T. and BÜDEL, B. 1996. Photobionts. In: NASH, T. H. III. (ed.), *The Biology of Lichens*. Edward Arnold Ltd. London, pp. 8-23.
 56. BÜDEL, B. 1996. Wo leben Algen - Vorkommen und biologische Bedeutung. *Praxis der Naturwissenschaften Biologie* 45: 12-19.
 57. BÜDEL, B. 1996. Die Pflanzenwelt des Spessarts unter dem Einfluß des Menschen. *Courier Forschungsinstitut Senckenberg* 194: 85-97.
 58. WEBER, B., WESSELS, D.C.J. and BÜDEL, B. 1996. Biology and ecology of cryptoendolithic cyanobacteria of a sandstone plateau in North-Transvaal, Southafrica. *Algological Studies* 83: 565-579.
 59. ZOTZ, G., BÜDEL, B., MEYER, A., ZELLNER, H. and LANGE, O.L. 1997. Water relations and CO₂ exchange of tropical bryophytes in a lower montane rain forest in Panama. *Botanica Acta* 110: 9-17.
 60. BÜDEL, B. AND ELIX, J.A. 1997. *Peltula langei* Büdel et Elix spec. Nov. From Australia, with remarks on its chemistry and the ascoma of *Peltula clavata* (Krempelh.) Wetm. *Bibliotheca Lichenologica* 67: 3-9.
-

61. BÜDEL, B., KARSTEN, U. AND GARCIA-PICHEL, F. 1997. Ultraviolet-absorbing scytonemin and mycosporine-like amino acid derivatives in exposed, rock inhabiting cyanobacterial lichens. *Oecologia* 112: 165-172.
62. BÜDEL, B. 1997. Flechten der Tropen. In: SCHÖLLER, H. (Hrsg.) Flechten. Kleine Senckenbergreihe 27: 139-148.
63. BÜDEL, B., BECKER, U., POREMBSKI, S. and BARTHLOTT, W. 1997. Cyanobacteria and cyanobacterial lichens from inselbergs of the Ivory Coast, Africa. *Botanica Acta* 110: 458-465.
64. GREEN, T.G.A., BÜDEL, B., MEYER, A., ZELLNER, H. and LANGE, O.L. 1997. Temperate rainforest lichens in New Zealand: light response of photosynthesis. *New Zealand Journal of Botany* 35: 493-504.
65. ZOTZ, G., BÜDEL, B., MEYER, A., ZELLNER, H. and LANGE, O.L. 1998. In situ studies of water relations and CO₂ exchange of the tropical macrolichen, *Sticta tomentosa*. *New Phytologist* 139: 525-535.
66. BÜDEL, B. 1999. Wuchsform und Photosyntheseparameter: Zur Regulation der Kryptogamenbesiedlung tropischer Inselbergoberflächen. In: BEYSCHLAG, W., BRECKLE, S. und STEINLEIN, T. (Hrsg.) Bielefelder Ökologische Beiträge 14: 134-143.
67. BÜDEL, B. 1999. Ecology and diversity of rock inhabiting cyanobacteria in tropical regions. *European Journal of Phycology* 34: 361-370.
68. SCHULTZ, M., BÜDEL, B. and ELIX, J. 2000. Additional lichen records from Australia 42. *Paulia caespitosa*, new to Australia and the Southern Hemisphere. *Australasian Lichenology* 46:29-30.
69. SCHULTZ, M., BROWN, G. and BÜDEL, B. 2000. Cyanophilous lichens from Kuwait. *Nova Hedwigia* 70: 193-216.
70. DIETZ, S., BÜDEL, B., LANGE, O.L., and BILGER, W. 2000. Transmittance of light through the cortex of lichens from contrasting habitats. *Bibliotheca Lichenologica* 75: 171-182.
71. LANGE, O.L., BÜDEL, B., MEYER, A., ZELLNER, H. and ZOTZ, G. 2000. Lichen carbon gain under tropical conditions: water relations and CO₂ exchange of *Leptogium* species of a lower montane rainforest in Panama. *Flora* 195: 172-190.
72. BÜDEL, B., SCHULTZ, M., LAKATOS, M. und WOITKE, M. 2000. Ökologie lithophytischer Cyanobakterien und Cyanobakterien-Flechten des Guyana Hochlands und des Orinoco Tieflands (Venezuela). In: Ergebnisse weltweiter ökologischer Forschungen. Beiträge des 1. Symposiums der A.F.W. Schimper Stiftung von H. und E. Walter. BRECKLE, S.-W., SCHWEIZER, B. und ARNDT, U. (Hrsg.), p. 209-217.
73. SCHULTZ, M., POREMBSKI, S., and BÜDEL, B. 2000. Diversity of rock-inhabiting cyanobacterial lichens: studies on granite inselbergs along the Orinoco and the Guyana region. *Plant Biology* 2: 482-495.
74. BÜDEL, B. 2000. Symbioses - Living one inside the other, In: Seckbach, J. (ed.) *Microbial Diversity*, Kluwer Press.
75. BÜDEL, B., BECKER, U., FOLLMANN, G. and STERFLINGER, K. 2000. Algae, fungi, and lichens. In: Porembski, S. and Barthloth, W. (eds.) *Inselbergs. Ecological Studies*, 146: 69-90.
76. BÜDEL, B., MEYER, A., SALAZAR, N., ZELLNER, H., ZOTZ, G. and LANGE, O.L. 2000. Macrolichen of montane rain forests in Panama, Province Chiriquí. *Lichenologist* 32: 539-551.
77. WEBER, B. und BÜDEL, B. 2001. Flechten an mittelalterlichen Feldsteinkirchen in Mecklenburg; Vielfalt, Ökologie und mögliche Einwirkungen auf das Gestein. In: GESATZKY, R. (Hrsg.) *Erhaltung und beispielhafte Instandsetzung von Feldsteinkirchen in Mecklenburg*. Thomas Helms Verlag, Schwerin; pp. 69-76.
78. SCHULTZ, M., ARENDHOLZ, W.-R. and BÜDEL, B. 2001. Origin and evolution of the lichenized ascomycete order Lichinales: monophyly and systematic relationship inferred from ascus, fruiting body and SSU rDNA evolution. *Plant Biology* 3: 116-123.

79. SCHULTZ, M., BÜDEL, B. and POREMBSKI, S. (2001). *Thyrea porphyrella*, a new species of the Lichinaceae from inselbergs in tropical South America. *Lichenologist* 33: 211-214.
80. WEBER, B. and BÜDEL, B. 2001. Mapping and analysis of distribution patterns of lichens on rural medieval churches in Northeastern Germany. *Lichenologist* 33: 231-248.
81. BELNAP, J., BÜDEL, B. and LANGE, O.L. 2001. Biological soil crusts: Characteristics and distribution. *Ecological Studies*, 150: 3-30.
82. ULLMANN, I. and BÜDEL, B. 2001. Biological soil crusts of Africa. *Ecological Studies*, 150: 107-118.
83. BÜDEL, B. 2001. Biological soil crusts of European temperate and mediterranean regions. *Ecological Studies*, 150: 75-86.
84. BÜDEL, B. 2001. Biological Soil crusts of South America. *Ecological Studies*, 150: 51-55.
85. BÜDEL, B. 2001. Biological soil crusts of Asia including the Don and Volga region. *Ecological Studies*, 150: 87-94.
86. BÜDEL, B. 2001. Synopsis: comparative biogeography and ecology of soil crust biota and communities. *Ecological Studies*, 150: 141-152.
87. ULLMANN, I. and BÜDEL, B. 2001. Ecological determinants of species composition of biological soil crusts on a landscape scale. *Ecological Studies*, 150: 203-213.
88. BÜDEL, B. 2001. Flechten im Spessart. *Spessart* (8): 9-10.
89. BÜDEL, B. 2001. Diversity and ecology of biological crusts. *Progress in Botany* 63: 386-404.
90. BÜDEL, B. 2001. Peltulaceae. In: *Flora of Australia* Vol. 58a (Lichens 3), P.M. MCCARTHY (ed.), pp. 24-32.
91. BÜDEL, B., REISSER, W., WEBER, B. and ZEDDA, L. 2001. Cyanobacteria and algae in biological soil crusts of Southern Africa. In: ZOTZ, G. and KÖRNER C. (eds.) *The functional importance of biodiversity*. Verhandlungen der Gesellschaft für Ökologie 31: 188.
92. LAKATOS, M., RASCHER, U., and BUEDEL, B. 2001. How can lichens survive in the understory of tropical lowland rain forest? In: ZOTZ, G. and KÖRNER C. (eds.) *The functional importance of biodiversity*. Verhandlungen der Gesellschaft für Ökologie 31: 68.
93. DOJANI, S., LAKATOS, M., RASCHER, U., and BUEDEL, B. (2001) Biological crusts influence the nitrogen composition of adjacent soils. In: ZOTZ, G. and KÖRNER C. (eds.) *The functional importance of biodiversity*. Verhandlungen der Gesellschaft für Ökologie 31: 343.
94. ZEDDA, L., BÜDEL, B., FEUERER, T. and RAMBOLD, G. 2001. Biological soil crusts and lichen diversity in southwestern Africa: developments of the Biota subproject S05. In: ZOTZ, G. and KÖRNER C. (eds.) *The functional importance of biodiversity*. Verhandlungen der Gesellschaft für Ökologie 31: 300.
95. LAKATOS, M., BILGER, W. and BÜDEL, B. (2001). Lipophilous carotenoids of terrestrial cyanobacteria from different habitats in Venezuela. *European Journal of Phycology* 36: 367-375.
96. SCHULTZ, M. and BÜDEL, B. (2002). Key to the genera of the Lichinaceae. *Lichenologist* 34: 39-62.
97. BÜDEL, B. SCHULTZ, M. and NASH, T.H. (2002). *Heppia*. In: NASH, T.H., RYAN, B.D., GRIES, C. and BUNGARTZ, F. (eds) *Lichen flora of the greater Sonoran Desert region*. Arizona State University, p. 204-207.
98. BÜDEL, B. and NASH, T.H., III (2002) *Peltula* (pp. 331-340) In: NASH III, T.H., RYAN, B.D, GRIES, C. and BUNGARTZ, F. (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 1. Lichens Unlimited, Arizona State University, Tempe, Arizona, 532 pages.
99. WIRTH, R., KIRSCH, H. und BÜDEL, B. (2002). Verbreitungsmuster und Dynamik der Wiederausbreitung von Bartflechten der Gattungen *Usnea* und *Bryoria* im Spessart. *Hoppea* 62: 411-436.

-
100. FEWER, D., FRIEDL, T. and BÜDEL, B. (2002). *Chroococcidiopsis* and heterocyst differentiating cyanobacteria are each others closest living relatives. *Molecular Phylogenetics and Evolution* 23: 82-90.
101. BÜDEL, B., WEBER, H.-M., PORREMSKI, S. and BARTHLOTT, W. (2002). Cyanobacteria of inselbergs in the atlantic rain-forest zone of Eastern Brazil. *Phycologia* 41: 498-506.
102. SCHULTZ, M. and BÜDEL, B. (2002). *Peccania salevensis* and *Synalissa nitidula* belong to the genus *Paulia* (Lichnaceae). *Mycotaxon* 84: 21-26.
103. BÜDEL, B. and SCHULTZ, M. (2003). A way to cope with high irradiance and drought: inverted morphology of a new cyanobacterial lichen, *Peltula inversa* sp. nov., from the Nama Karoo, Namibia. *Bibliotheca Lichenologica* 86: 225-232.
104. SCHULTZ, M. and BÜDEL, B. (2003). On the systematic position of the lichen genus *Heppia*. *Lichenologist* 35: 151-156.
105. RASCHER, U., LAKATOS, M., BÜDEL, B. and LÜTTGE, U. (2003) Photosynthetic field capacity of cyanobacteria of a tropical inselberg of the Guiana Highlands. *European Journal of Phycology* 38: 247-256.
106. LAKATOS, M., LANGE-BERTALOT, H. and BÜDEL, B. (2004) Diatoms living inside the thallus of the green algal lichen *Coenogonium linkii* in neotropical lowland rain forests. *Journal of Phycology* 40: 70-73.
107. BÜDEL, B. (2004) Cyanobacteria in Symbioses. Book review. *Journal of Plant Physiology* 161: 757-760.
108. LANGE, O.L., BÜDEL, B., MEYER, A., ZELLNER, H. and ZOTZ, G. (2004). Lichen carbon gain under tropical conditions: water relations and CO₂ exchange of Lobariaceae species of a lower montane rainforest in Panama. *Lichenologist* 36: 329-342.
109. BÜDEL, B. (2005). Microorganisms of biological crusts on soil surface. In: BUSCOT, F. and VARMA, A. (eds.) *Microorganisms in Soils: Roles in Genesis and Functions*. *Soil Biology* 3: 307-323, Springer Verlag Berlin Heidelberg.
110. BÜDEL, B., WEBER, B., KÜHL, M., PFANZ, H., SÜLTEMEYER, D., and WESSELS, D.C.J. (2004) Reshaping of sandstone surfaces by cryptoendolithic cyanobacteria: bioalkalisation causes chemical weathering in arid landscapes. *Geobiology* 2: 261-268.
111. HACH, T., BÜDEL, B. und SCHWABE, A. (2005). Biologische Krusten in basenreichen Sand-Ökosystemen des *Koelerion glaucae*-Vegetationskomplexes: taxonomische Struktur und Empfindlichkeit gegenüber mechanischen Störungen. *Tuexenia*, 25: 357-372.
112. KAUFF, F. and BÜDEL, B. (2005) Ascoma ontogeny and apothecial anatomy in the Gyalectaceae (Ostropales, Ascomycota) support the reestablishment of the Coenogoniaceae. *The Bryologist* 108: 272-281.
113. SCHULTZ, M. and BÜDEL, B. (2005). *Phloeopeccania anemoides*, a new lichen species from Baja California Sur and Sinaloa, Mexico. *The Bryologist* 108: 520-525.
114. LAKATOS, M., RASCHER, U. and BÜDEL, B. (2006). Functional characteristics of corticolous lichens in the understory of a tropical lowland forest. *New Phytologist* 172: 679-695.
-

115. T.Y. JAMES, F. KAUFF, C. SCHOCH, P. B. MATHENY, V. HOFSTETTER, C. J. COX, G. CELIO, C. GUIEDAN, E. FRAKER, J. MIADLIKOWSKA, T. LUMBSCH, A. RAUHUT, V. REEB, A. E. ARNOLD, A. AMTOFT, J. E. STAJICH, K. HOSAKA, G.-H. SUNG, D. JOHNSON, B. O'ROURKE, M. BINDER, J. M. CURTIS, J. C. SLOT, Z. WANG, A. W. WILSON, A. SCHÜßLER, J. E. LONGCORE, K. O'DONNELL, S. MOZLEY-STANDRIDGE, D. PORTER, P. M. LETCHER, M. J. POWELL, J. W. TAYLOR, M. M. WHITE, G. W. GRIFFITH, D. R. DAVIES, J. SUGIYAMA, A. Y. ROSSMAN, J. D. ROGERS, D. H. PFISTER, D. HEWITT, K. HANSEN, S. HAMBLETON, R. A. SHOEMAKER, J. KOHLMAYER, B. VOLKMANN-KOHLMEYER, R. A. SPOTTS, M. SERDANI, P. W. CROUS, K. W. HUGHES, K. MATSUURA, E. LANGER, G. LANGER, W. A. UNTEREINER, R. LÜCKING, **B. BÜDEL**, D. M. GEISER, A. APTROOT, W. R. BUCK, M. S. COLE, P. DIEDE- RICH, C. PRINTZEN, I. SCHMITT, M. SCHULTZ, R. YAHR, A. ZAVARZIN, D. S. HIBBETT, F. LUTZONI, D. J. MC- LAUGHLIN, J. W. SPATAFORA, R. VILGALYS (2006). Reconstructing the early evolution of the fungi using a six gene phylogeny. *Nature* 443: 818-822
116. MIADLIKOWSKA J, KAUFF F, HOF- STETTER V, FRAKER E, GRUBE M, HAFELLNER J, REEB V, HODKINSON BP, KUKWA M, LÜCKING R, HEST- MARK G, GARCIA-OTALORA M, RAU- HUT A, **BÜDEL B**, SCHEIDEGGER C, TIMDAL E, STENROOS S, BRODO I, PERLMUTTER GB, ERTZ D, DIEDE- RICH P, LENDEMÉR JC, TRIPP E, YAHR R, MAY P, GUEIDAN C, SPATA- FORA JW, SCHOCH C, ARNOLD AE, ROBERTSON C, LUTZONI F. (2006) New insights into classification and evolu- tion of the Lecanoromycetes (Pezizo- mycotina, Ascomycota) from phyloge- netic analyses of three ribosomal RNA- and two protein-coding genes. *Mycologia* 98: 1088-1103.
117. SPATAFORA JW, SUNG GI-HO, JOHNSON D, HESSE C, O'ROURKE B, SERDANI M, SPOTTS R, LUTZONI F, HOFSTETTER V, MIADLIKOWSKA J, REEB V, GUEIDAN C, FRAKER E, LUMBSCH T, LÜCKING R, SCHMITT I, HOSAKA K, APTROOT A, ROUX C, MILLER AN, GEISER DM, HAFELLNER J, HESTMARK G, ARNOLD AE, **BÜDEL B**, RAUHUT A, HEWITT D, UN- TEREINER WA, COLE MS, SCHEI- DEGGER C, SCHULTZ M, SIPMAN H, SCHOCH C. (2006) A five-gene phylog- eny of Pezizomycotina. *Mycologia* 98(6): 1018-1028.
118. WEBER, B., SCHERR, C., REICHEN- BERGER, H., and BÜDEL, B. (2007) Reactivation by high air humidity and photosynthetic performance of alpine lichens growing endolithically in lime- stone. *Arctic, Antarctic and Alpine Re- search* 39(2): 309-317.
119. DOJANI, S., LAKATOS, M., RASCH- ER, U., WANEK, W., LÜTTGE, U., and BÜDEL, B. (2007). Nitrogen input by cy- anobacterial biofilms of an inselberg into a tropical rainforest in French Guiana. *Flora* 202: 521-529.
120. BÜDEL, B. und MOLLENHAUER, D. (2007). Felsen aus denen es tropft und wächst – Der Travertinfels im Natur- denkmal „Unterer Klingelbachgraben“. *Spessart* (7): 12-16.
121. BÜDEL, B. (2007) Otto Ludwig Lange 80 years - Eco-physiology - the key to understanding the function and distribu- tion patterns of plants and lichens. *Flora* 202: 590-607.
122. MICHL, T., HUCK, S., HAASE, P., and BÜDEL, B. (2007). Genetic differen- tiation among populations of *Cicerbita alpina* (L.) Wallroth (Asteraceae in the Western Alps. *Zeitschrift für Naturfor- schung* 62c:747-756.
123. WEBER, B., OLEHOWSKI, C., KNERR, T., HILL, J., DEUTSCHEWITZ, K., WESSELS, D.C.J., EITEL, B. and BÜDEL, B. (2008). A new approach for mapping of Biological Soil Crusts in semidesert areas with hyperspectral im- agery. *Remote Sensing of Environment* 112(5): 2187-2201.

124. BÜDEL, B. and VESTE, M. (2008). Biological crusts. In: Sand Dune Ecosystems in the Negev-Desert. BRECKLE, S. and YAIR, A. (eds.). Ecological Studies, Springer Verlag, p. 149-155.
125. SCHULTZ, M. and BÜDEL, B. (2008). *Phloeopeccania*. In: NASH, T.H. III, GRIES, C., and BUNGARTZ, F. (Eds.): *Lichen Flora of the greater Sonoran Desert*, volume 3. Lichens unlimited, Arizona State University, Tempe, Arizona, p. 271-273.
126. BÜDEL, B., RAUHUT, A. and SCHULTZ, M. (2008) *Peltula*. In: NASH III, T.H., GRIES, C., and BUNGARTZ, F. (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 3. Lichens Unlimited, Arizona State University, Tempe, Arizona, p. 388-389.
127. FRIEDL, T. and BÜDEL, B. (2008) Chapter 2. Photobionts. In NASH, T. H. III. (ed.), *Lichen Biology*. Cambridge University Press, Cambridge, p. 9-26.
128. BÜDEL, B., SCHEIDEGGER, C. (2008). Chapter 4. Thallus morphology and anatomy. In NASH, T. H. III. (ed.), *Lichen Biology*. Cambridge University Press, Cambridge, p. 40-68.
129. BÜDEL, B., BENDIX, J., BICKER, F., and GREEN, T.G.A. (2008). Dewfall as a water source frequently activates the endolithic cyanobacterial communities in the granites of Taylor Valley, Antarctica. *Journal of Phycology* 44: 1415-1424.
130. KLUGE, M. and BÜDEL, B. (2008). Inselbergs: Vegetation, diversity, and ecology. *Tropical Biology and Conservation Management, Botany*, 4: 61-99.
131. BÜDEL, B., DARIENKO, T., DEUTSCHEWITZ, K., DOJANI, S., FRIEDL, T., MOHR, K. I, SALISCH, M., REISSER, W., and WEBER, B. (2009). Southern African biological soil crusts are ubiquitous and highly diverse in drylands, being restricted by rainfall frequency. *Microbial Ecology* 57: 229-247.
132. ZECH, H. und BÜDEL, B. (2009). Die „Weißen Steine“ bei Lohr am Main: eine weiße Blockhalde aus Buntsandstein. *Spessart* (2): 3-7.
133. SCHOCH, C.L., SUNG, G.H., LÓPEZ-GIRÁLDEZ, F., TOWNSEND, J.P., MIADLIKOWSKA, J., HOFSTETTER, V., ROBERTSE, B., MATHENY, P.B., KAUFF, F., WANG, Z., GUEIDAN, C., ANDRIE, R.M., TRIPPE, K., CIUFETTI, L.M., WYNNS, A., FRAKER, E., HODKINSON, B.P., BONITO, G., YAHR, R., GROENEWALD, J.Z., ARZANLOU, M., DE HOOG, G.S., CROUS, P.W., HEWITT, D., PFISTER, D.H., PETERSON, K., GRYZENHOUT, M., WINGFIELD, M.J., APTROOT, A., SUH, S.-O., BLACKWELL, M., HILLIS, D.M., GRIFFITH, G.W., CASTLEBURY, L.A., ROSSMAN, A.Y., LUMBSCH, H.T., LÜCKING, R., **BÜDEL, B.**, RAUHUT, A., DIEDERICH, P., ERTZ, D., GEISER, D.M., HOSAKA, K., INDERBITZIN, P., KOHLMAYER, J., VOLKMANN-KOHLMEYER, B., MOSTERT, L., O'DONNELL, K., SIPMAN, H., ROGERS, J.D., SHOEMAKER, R.A., SUGIYAMA, J., SUMMERBELL, R.C., UNTEREINER, W., JOHNSTON, P., STENROOS, S., ZUCCARO, A., DYER, P., CRITTENDEN, P., COLE, M.S., HANSEN, K., TRAPPE, J.M., LUTZONI, F., and SPATAFORA, J.W. (2009). The Ascomycota Tree of Life: A Phylum-wide Phylogeny Clarifies the Origin and Evolution of Fundamental Reproductive and Ecological Traits. *Systematic Biology* 58(2): 224-239
134. BÜDEL, B. (2009). Funktion von Flechten in biologischen Krusten: Wüstenböden und tropische Inselberge. In: Bayerische Akademie der Wissenschaften (ed.) *Rundgespräche der Kommission für Ökologie (Ökologische Rolle der Flechten)* 36: 67-81.
135. ELBERT, W., WEBER, B., BÜDEL, B., ANDREAE, M.O., and PÖSCHL, U. (2009). Microbiotic crusts on soil, rock and plants: neglected major players in the global cycles of carbon and nitrogen? *Biogeosciences Discussion* 6: 6938-7015.
136. BÜDEL, B., SCHULZ, B., REICHENBERGER, H., BICKER, F., and GREEN, T.G.A. (2009). Cryptoendolithic cyanobacteria from calcite marble rock ridges, Taylor Valley, Antarctica. *Algological Studies* 129: 61-69.

137. MOLLENHAUER, D., BÜDEL, B., HÖXTERMANN, E., and WISSEMANN, V. (2009). Gregor Krauss (1841-1915) – versatile botanist from Lower Franconia. *Annals of the History and Philosophy of Biology*, 12: 155-172.
138. HUCK, S., BÜDEL, B., KADEREIT, J., and PRINTZEN, C. (2009). Range-wide phylogeography of the European temperate-montane herbaceous plant *Meum athamanticum* Jacq.: evidence for periglacial persistence. *Journal of Biogeography* 36: 1588-1599.
139. LÜTTGE, U. and BÜDEL, B. (2010) Resurrection kinetics of photosynthesis in desiccation tolerant aerophilic green algae (Chlorophyta) on the bark of trees. *Plant Biology* 12: 437-444.
140. MICHL, T., HUCK, S., SCHMITT, T.; HAASE, P., and BÜDEL, B. (2010). The molecular population structure of the tall-forb *Cicerbita alpina* (L.) Wallr. (Asteraceae) supports the idea of cryptic glacial refugia in Central Europe. *Botanical Journal of the Linnean Society*, 164: 142-154.
141. HAARMEYER, D. H., LUTHER-MOSEBACH, J., DENGLER, J., SCHMIEDEL, U., FINCKH, M., BERGER, K., DECKERT, J., DOMPTAIL, S. E., DREBER, N., GIBREEL, T., GROHMANN, C., GRÖNGRÖFT, A., HAENSLER, A., HANKE, W., HOFFMANN, A., HUSTED, L. B., KANGOMBE, F. N., KEIL, M., KRUG, C. B., LABITZKY, T., LINKE, T., MAGER, D., MEY, W., MUCHE, G., NAUMANN, C., PELLOWSKI, M., POWRIE, L. W., PRÖPPER, M., RUTHERFORD, M. C., SCHNEIDERAT, U., STROHBACH, B. J., VOHLAND, K., WEBER, B., WESULS, D., WISCH, U., ZEDDA, L., **BÜDEL, B.**, DARIENKO, T., DEUTSCHEWITZ, K., DOJANI, S., ERB, E., FALK, T., FRIEDL, T., KANZLER, S.-E., LIMPRICHT, C., LINSENMIR, K. E., MOHR, K., OLIVER, T., PETERSEN, A., RAMBOLD, G., ZELLER, U., AUSTERMÜHLE, R., BAUSCH, J., BÖSING, B. M., CLASSEN, N., DORENDORF, J., DORIGO, W., ESLER, K. J., ETZOLD, S., GRAIFF, A., GROTEHUSMANN, L., HECHT, J., HOYER, P., KONGOR, R. Y., LANG, H., LIECKFELD, L. A. B., OLDELAND, J., PETERS, J., RÖWER, I. U., SEPTEMBER, Z. M., SOP, T. K., VAN ROOYEN, M. W., WEBER, J., WILLER, J., JÜRGENS, N. (2010): The BIOTA Observatories. – In: JÜRGENS, N., HAARMEYER, D. H., LUTHER-MOSEBACH, J., DENGLER, J., FINCKH, M., SCHMIEDEL, U. (2010): Biodiversity in southern Africa. Volume 1: Patterns at local scale - the BIOTA Observatories: pp. 6–801, Klaus Hess Publishers, Göttingen & Windhoek.
142. BÜDEL, B., DEUTSCHEWITZ, K., DOJANI, S., FRIEDL, T., DARIENKO, T., MOHR, K. I., WEBER, B. (2010): Biological soil crusts along the BIOTA Southern Africa transects. – In: SCHMIEDEL, U., JÜRGENS, N. [eds.]: Biodiversity in southern Africa. Volume 2: Patterns and processes at regional scale: pp. 93–99, Klaus Hess Publishers, Göttingen & Windhoek.
143. WEBER, B., OLEHOWSKI, C., DEUTSCHEWITZ, K., BÜDEL, B. (2010): Mapping of biological soil crusts in the Succulent Karoo using hyperspectral remote sensing data. – In: SCHMIEDEL, U., JÜRGENS, N. [eds.]: Biodiversity in southern Africa. Volume 2: Patterns and processes at regional scale: pp. 158–162, Klaus Hess Publishers, Göttingen & Windhoek.
144. BÜDEL, B. (2010) Der Erfolg einer Symbiose: Flechten. *Biologie in unserer Zeit* 40(5): 322-333.
145. WEBER, B., SCHERR, C., BICKER, F., FRIEDL, T., and BÜDEL, B. (2011). Respiration-induced weathering patterns of two endolithically growing lichens. *Geobiology* 9: 34-43.
146. KAUFF, F. and BÜDEL, B. (2011). Molecular phylogeny in the Cyanobacteria. *Progress in Botany* 72: 209-224.
147. SHAO, Y., SPITELLER, D., TANG, X., PING, L., COLESIE, C., MÜNCHBERG, U., LORENZ, S., SCHÖNEMANN, L., JIA, A., BARTRAM, S., SCHNEIDER, **B.**, **BÜDEL, B.**, POPP, J., SVATOŠ, A., HECKEL, D.G., and BOLAND, W. (2011) Crystallization of α - and β -carotene in the foregut of *Spodoptera* larvae feeding on suboptimal food plant. *Insect Biochemistry and Molecular Biology* 41: 211-218.

148. BÜDEL, B. (2011). *Chroococcidiopsis*. In: REITNER, J. and THIEL, V. (eds), Encyclopedia of Geobiology, Springer, Dordrecht, pp. 273-274.
149. WEBER, B. and BÜDEL, B. (2011). Endoliths. In: REITNER, J. and THIEL, V. (eds), Encyclopedia of Geobiology, Springer, Dordrecht, pp. 348-355.
150. WEBER, B. and BÜDEL, B. (2011). Fungi and lichens. In: REITNER, J. and THIEL, V. (eds), Encyclopedia of Geobiology, Springer, Dordrecht, pp. 401-409.
151. BÜDEL, B. and SCHULTZ, M. (2011). *Pseudopeltula necrocorticata* spec. nov., a new species in the cyanolichen order Lichinales with an unusual thallus morphology. *Bibliotheca Lichenologica* 106: 15-20 + 3 color plates..
152. DOJANI, S., BÜDEL, B., DEUTSCHEWITZ, K., and WEBER, B. (2011). Rapid succession of biological soil crusts after experimental disturbance in the Succulent Karoo, South Africa. *Applied Soil Ecology* 48: 263-269
153. BÜDEL, B. (2011) Cyanobacteria. In: BECK, E. and LÜTTGE, U. (eds.), *Desiccation Tolerance in Plants*. *Ecological Studies* 215: 11-21.
154. BÜDEL, B. (2011) Eukaryotic algae. In: BECK, E. and LÜTTGE, U. (eds.), *Desiccation Tolerance in Plants*. *Ecological Studies* 215: 45-63.
155. BÜDEL, B. (2011) Biologische Krusten – die Haut der Erde. *Natur Forschung Museum* 141: 250-263.
156. COLESIE, C., SCHEU, S., GREEN, T.G.A., WEBER, B., WIRTH, R., and BÜDEL, B. (2011). The advantage of growing on moss: facilitative effects on photosynthetic performance and growth in the cyanobacterial lichen *Peltigera rufescens*. *Oecologia* 169: 599-607/DOI: 10.1007/s00442-011-2224-5
157. LAKATOS, M., OBREGÓN, A., BÜDEL, B. and BENDIX, J. (2012). Midday dew – an overlooked factor enhancing photosynthetic activity of corticolous epiphytes in a perhumid tropical forest. *New Phytologist*, DOI: 10.1111/j.1469-8137.2011.04034.x
158. ELBERT, W., WEBER, B., BURROWS, S., STEINKAMP, J., BÜDEL, B., ANDREAE, M.O., and PÖSCHL, U. (2012). Contribution of cryptogamic covers to the global cycles of carbon and nitrogen. *Nature Geoscience* 5: 459-462 + SI.
159. HUCK, S., BÜDEL, B., and SCHMITT, T. (2012). Ice-age isolation, postglacial hybridization and recent population bottlenecks shape the genetic structure of *Meum athamanticum* in Central Europe. *Flora* 207: 399-407
160. WILLIAMS, W. and BÜDEL, B. (2012). Species diversity, biomass and long-term patterns of biological soil crusts with special focus on Cyanobacteria of the *Acacia aneura* Mulga Lands of Queensland, Australia. *Algological Studies*. 140: 23-50.
161. BÜDEL, B. and KAUFF, F. (2012) Prokaryotic algae, Blue-Green Algae. In: FREY, W. (ed.), *Syllabus of Plant Families*. 13th ed., part 1/1. Gebr. Borntraeger Verlagsbuchhandlung, Stuttgart; pp. 5-39.
- 162a. KIDRON, G. and BÜDEL, B. (2012) Contrasting hydrological response of coastal and desert biocrusts. *Hydrological Processes*, DOI: 10.1002/hyp.9587.
- 162b. KIDRON, G. and BÜDEL, B. (2014). Contrasting hydrological response of coastal and desert biocrusts. *Hydrological Processes* 28: 361-371.
163. BÜDEL, B. (2012) Extreme terrestrische Habitate: Biologische Krusten als Pioniere. In: BECK, E. (ed.) *Die Vielfalt des Lebens: Wie hoch, wie komplex, warum?* Wiley VCH Verlag, Weinheim, pp. 138-146.
164. BÜDEL, B. REBUELTA VIVAS, M., and LANGE, O.L. (2013) Lichen species dominance and the resulting photosynthetic behavior of Sonoran Desert soil crust types (Baja California, Mexico). *Ecological Processes* 2: 6
165. WEBER, B., WESSELS, D.C.J., DEUTSCHEWITZ, K., DOJANI, S., REICHENBERGER, H., and BÜDEL, B. (2013). Ecological characterization of soil-inhabiting and hypolithic soil crusts within the Knersvlakte, South Africa. *Ecological Processes* 2: 8.

-
166. COLESIE, C., GOMMEAUX, M., GREEN, T.G.A., and BÜDEL, B. (2013) Biological Soil Crusts in continental Antarctica: Garwood Valley (Southern Victoria Land) and Diamond Hill (Darwin Mountains region). *Antarctic Science* 26(2): 115-123.
167. DOJANI, S., KAUFF, F., WEBER, B., and BÜDEL, B. (2013). Genotypic and Phenotypic Diversity of Cyanobacteria in Biological Soil Crusts of Southern Africa. *Microbial Ecology*, DOI 10.1007/s00248-013-0301-5.
168. GUTOWSKI, A., FRIEDL, T., and BÜDEL, B. (2014). Obituary: Homo Phykophilos – Dieter Mollenhauer, December 29, 1937 – May 3 2013. *Protist* 164: 837-841.
169. BÜDEL, B., COLESIE, C., GREEN, T.G.A., GRUBE, M., SUAU, R.L., LOEWEN-SCHNEIDER, K., MAIER, S., PEER, T., PINTADO, A., RAGGIO, J., RUPRECHT, U., SANCHO, L.G., SCHROETER, B., TÜRK, R., WEBER, B., WEDIN, M., WESTBERG, M., WILLIAMS, L., and ZHENG, L. (2014) Improved appreciation of the functioning and importance of biological soil crusts in Europe: the Soil Crust International Project (SCIN). *Biodiversity and Conservation*, 23(7): 1639-1658.
170. BÜDEL, B. and COLESIE, C. (2014) Biological soil crusts. In: COWAN, D. *Physical and biological properties of Antarctic terrestrial soils*, Springer Verlag; pp. 131-161.
171. COLESIE, C., GREEN, T.G.A., HAFERKAMP, I. and BÜDEL, B. (2014). Habitat-stress initiates changes in composition, CO₂ gas exchange, and C-allocation as life traits in biological soil crusts. *The ISME Journal* 10: 2104-2115.
172. RAGGIO, J., PINTADO, A., VIVAS, M., SANCHO, L.G., BÜDEL, B., COLESIE, C., WEBER, B., SCHROETER, B., and GREEN, T.G.A. (2014). Continuous chlorophyll fluorescence, gas exchange and microclimate monitoring in a natural soil crust habitat in Tabernas badlands, Almeria, Spain: progressing towards a model to understand productivity. *Biodiversity and Conservation* 23(7): 1809-1826.
173. WILLIAMS, W.G., BÜDEL, B., REICHENBERGER, H., and ROSE, N. (2014). Cyanobacteria in the Australian northern savannah detect the difference between intermittent dry season and wet season. *Biodiversity and Conservation* 23(7): 1827-1844.
174. BÜDEL, B. (2014). Algen im Spessart: nicht nur im Wasser. *Jahresberichte der Wetterauischen Gesellschaft für die gesamte Naturkunde zu Hanau, gegr. 1808; Themenband Spessart*, 163-164: 145-159
175. COLESIE, C., GREEN, T.G.A., TÜRK, R., HOGG, I., and BÜDEL, B. (2014). Terrestrial biodiversity along the Ross Sea coastline, Antarctica: lack of a latitudinal gradient and potential limits of bioclimatic modeling. *Polar Biology* DOI 10.1007/s00300-014-1513-y.
176. SANCHO, L.G., MAESTRE, F.T., and BÜDEL, B. (2014) Biological soil crusts in a changing world: introduction to the special issue. *Biodiversity and Conservation* 23(7): 1611-1617.